

Morse, Bob

From: Morse, Bob
Sent: Friday, September 20, 2019 5:12 PM
To: Mason, John
Subject: RE: Seneca PFAS docs forget previous email
Attachments: SEAD25_PFAS_ESI_Existing+ProposedLocs_091019.pdf; SEAD26_PFAS_ESI_ValidResults_Proposed_071619.pdf

Categories: EZ Record - Shared

Better ones attached.

Bob

Bob Morse
Remedial Project Manager
USEPA Region 2
Superfund and Emergency Management Division
Federal Facilities Section
290 Broadway 18th Floor
New York, NY 10007-1866
Phone: Office (212) 637-4331
Cell: 908-581-3791

From: Morse, Bob
Sent: Friday, September 20, 2019 5:01 PM
To: Mason, John <mason.john@epa.gov>
Subject: Seneca PFAS docs

Hi John.

Attached are 2 files, 1 for SS-025 (revised in Sept to add a firehouse well) and 1 for SS-026 from July.

Both show results from the May 2019 sampling as well as the locations proposed by the Army.

I don't think there was a formal report for the results of the May 2019 sampling, at least I don't have it.

Any questions let me know. Thanks.

Bob

Bob Morse
Remedial Project Manager
USEPA Region 2
Superfund and Emergency Management Division
Federal Facilities Section
290 Broadway 18th Floor
New York, NY 10007-1866
Phone: Office (212) 637-4331

Cell: 908-581-3791